

April 1 San Jose Ca.:

NEWS FLASH: Trawiel Buys Back Commodore and Apple in the same day!

### Calendar of Events:

Next meeting - Saturday, April 19, 1986 Ambruster School - 7000 Greenway - Greenfield, WI


Doors open at 2:00 PM

BASIC Class and 16-bit SIG at 2:15 PM

Business meeting at 3:30 PM Nominating committee report

Demonstration at 4:00 PM ATARI WRITER PLUS

#### ATARI IN THE PRESS



The future of ATARI may be up for grabs but... more publications are featuring articles on ATARI machines. For example, MICRO CORUCOPIA (a magazine formally dedicate to 8-bit single board computers) has an article entitled "Porting A 68000 Assembler To The Atari ST" in their April issue. VALWORLD GAZETTE which originally address Epson computer owners is now featuring articles on the Atari ST. The current issue has two articles for ST owners, 520ST vs 1040ST and THE FABULOUS ST.

Samples of both magazines will be available at the meeting. (Continued on page 7)

FROM THE DISK OF

Dave Frazer






PAGE 2

## THE FUZZY NOLAN REVIEW

WARNING! WARNING!! WARNING!!!



In last months column I told you about an offer for VIP Professional, a Lotus 123 clone, from a company called Gumball Express. It has come to my attention that the people who own VIP and the people who own Gumball involved in a lawsuit with VIP claiming that Shanner is no (Shanner) are longer permitted to sell their spredsheet. They also say that they WILL NOT honor the warranty of any program sold by Gumball. So take heed and buy wisely. If you've already ordered from them do not accept delivery on it. If you already have opened the package try contacting Gumball to return it. If that dosen't work contact the California Attorney General's office in Sacramento. We have been told that you could run into problems if you try to hook up a non-Atari RGB monitor to the ST's. Atari is rumored to be readying a monitor that has both composit and RGB inputs so it will work on both the 8-bit and 16-bit systems.

COVER YOUR TRAKS

Anybody out there with a Trak disk drive? Thinking about getting rid of it because it's hard to find repairs? Well take note. Integrated Computer Resources at 247 N. Neltnor Blvd., Suite G1F in West Chicago, IL 60185 will repair and upgrade Trak drives, they can also supply cables for the AT-D2 drives with the built-in printer port/buffer. For more info contact them at the above address or give them a call at (312) 231-6104.

And if you're one of those with a Percom, STS Computers at 1073 W. Broad St. in Falls Church, VA 22046 has a nationwide contract to repair these They have also developed a new OS ROM for these drives. For more

information contact them or call them at (703) 237-0558.

WORK, WORK, WORK

The ST's have been getting a real workout lately. IQ Peripherals of Mountian View, CA is developing the ST into a low cost UNIX workstation. It will use UNIX System V from AT&T which will allow it to hook up to The system to be introduced later this year will retain its ability to function as a standard Atari ST and will cost about half of what current stand alone workstations cost. Atari meanwhile is working on its own UNIX products.

One west coast dealer has reported a large number of ST sales to business accounts that plan to use them as "smart" terminals. It really is

like getting two for the price of one.

REPORTS OF ITS DEATH ARE GREATLY EXAGGERATED!!!

CP/M ain't dead yet folks. But it shure is breathing a mite harder. There is a million plus CP/M machines out there, plus a bunch of ATR's that could use some good software. Some of those machines are going on their second owners. And the prices on new unsold units are dropping. You can buy a Kaypro clone with 2-DSDD, 9" amber screen, Micropro software (Wordstar, ECT.), parallel & serial ports and built in speech synthsizer for only \$525 shipping included. And don't think these are slow dogs either. Remember, the IBM PC is only two steps faster than dry concrete. There are still several companies developing software for these machines. Some are producing hardwar add-ons for them too. One of them is Periphco of Santa Clara. They are offering an EPROM (chip) programer to user groups at special prices. This unit, the Programmer/4+ will program 2 to 16K ROM and EPROMS including CMOS types. It hooks up through the RS232 port and comes with software on disk in several formats. This completely built and tested unit costs \$175 in lots of 1 to 9 and \$155 for 10 or more For more info see me at the meeting if





#### PAGE 3

SHHHH!!! MAYBE NO ONE WILL NOTICE

Tandy (aka Radio Shack) had what they thought was a great new way to Door-to-door approach. Or as you sell computers to the masses. The Tupperware freaks call it the "home demonstration". This was supposed to move a lot of Color Computer II's and eventually the Model 1000 into our homes. RS has decided to let someone else tackle this project and has quietly let its effort die. Tandy currently has (this might have ended) a promotion going where you can buy a Model 1200 (XT clone) and get a free Model 100 (laptop, Dave's). Now either 1200 sales have slid off the edge or RS has a like ton of 100's to get rid of so's they can push the newer 200 & 600. Still it's not that bad of an offer if you need an XT clone and something to tote around with you.

EVERYTHINGS DUCKY(SOMETIMES EVEN I WINCE)

From Holmes & Duckworth, the producers of H&D Bbase for the ST's comes Journal of Micronomy (sure!). It's a short newsletter type thing that gives tips and news about H&D Base and other programs from Chester and is now available. It offers some enhancements and Oliver. Version "125" corrections to preceding versions. What may they be, you ask? Well lest you think Chet & Ollie have been resting on their laurals, here are a few. Restructuring of mailing list command file

New mail list program (with GEM interface)

Auto-run feature

Additional error trapping Correction of all program anomalies (inconsistencies)((BUGS)) reported by

a registered owner you are entitled to the anomaly corrections free charge. These corrections which consist of about 20 lines of Command File code that you type in are available upon request. The other goodies will cost you a mere \$5. Now thats pretty reasonable considering what some other places have charged for upgrades. They have also opened up a Tech Support phone service that is available from 1pm to 5pm (Pacific time) Monday through Friday at (209) 226-1485. You can also call their BBS, if you don't mind the long distance charges, at (209)276-2037. It's up from 1 to 7pm (Pacific time) on weekdays and 24hrs on weekends. These two madcap lads also have two new programs for the ST. The first is Toolbox which consists of five utlilty programs which include a disk file/sector editor, memory editor, deleted file recovery, directory print and fast format and copy routines. All this for \$39.95. The other offering is H&D Forht, a Forth programming language selling \$49.95. You can order by phone at (800) 641-1441. Now if we could just one of you ST types to writ a review of H&D for the newsletter, we could find out what this is all about. MAC ATTACK! MAC ATTACK!

When the ST's where first released everyone talked about porting

programs from Apple's Macintosh to the new Atari. Up until now it's been all talk and no action. Well an old hand at fooling around with Atari computers is at it again. David Small (the name should ring a bell with the old timers) and a company called Data Pacific have announced a product called the Mac Cartridge (hold the onions please) that allows the 1040ST or a boosted 520 to run programs from the Macintosh. There are a couple of gotchya's though. The first is pretty easy to solve, and that's how to get the originals over to Just use a serial cable or modem. The biggest one involves the Macintosh 64K ROM chips that hold most of the computers user interface. The problem will be in getting Apple to license Data Pacific to make them. Apple not going to help someone build a machine that can do EVERYTHING theirs can and more! You could buy the cart from DP and buy the ROM's from an Apple dealer and assemble it yourself. But how long do you think the supply would last? Me too. The first showing of the cart will be at the West Coast





#### PAGE 4

### Party Quiz Question disk Maker by Roy Duvall

Before Xmas I purchased Party Quiz (it was and still is on sale at Computer Software Center.) This is an enjoyable and well done game system. But I wanted to tailor my own special subject trick So I dug through the clubs archives of other group newsletters and found a program to make PQ Question disks in Computer Squad News ( an Illinios After long hours of entry (the listing wasn't quite totally readable.) I started entering my questions. The program had a few bugs, as well as, typos. many more hours I discovered either there must be 2 versions of PQ or the program was They separated every seriously flawed. item with an ESC (27) and my PQ Disk items with returns (155). separated Eventually I decided to write another version which (hopefully) resolved the bugs and added editing features. I chose BASIC although I prefer BASIC XL, due to its availability.

You must have an original PQ Question disk to copy the 1st 9 sectors to your disk then you have 690+ sectors for your questions. Each sector contains 2 question / answer sets (64 characters Max). Sectors thru 540 are for multiple choice questions - Where the first answer is the Sectors 540 thru 707 are correct choice. for True False questions. You must enter a correct answer if the question is false. The edit facility is to edit a question that already exists ( my typo's made this The program should facility a mandatory) be available on the BBS or through the club library soon. The deadline for the newsletter limited the testing time, so if you find any new bugs give me a holler. Happy Q's - Roy.

```
For MILATARI March 1986
1 REM PARTY QUIZ QUESTION DISK MAKER
2 REM VERSION 1 BY ROY JOHNSON & STAN
SUBECK
3 REM VERSION 2 BY ROY DUVALL
4 REM THIS PROGRAM IS IN THE PUBLIC DO
MAIN
20 DIM NUL$(129),B$(64),Q$(64),C$(64),
X$ (1) , A$ (129) , D$ (1152)
30 NUL$(1)=CHR$(0):NUL$(129)=CHR$(0):N
UL$(2)=NUL$:A$=MUL$
100 POKE 752,1
400 GRAPHICS 18:? #6:? #6;" PMREM QUI
                       MAKER":? #6:
Z DISK":? #6:? #6;"
                  BY roy & stan"
? #6:? #6:? #6;"
500 OPEN #2,4,0,"K:"
800 D$(1)=CHR$(0):D$(1152)=CHR$(0):D$(
2) =D$:D=ADR(D$):A=ADR(A$)
900 POKE 1536,104:POKE 1537,32:POKE 15
38,83:POKE 1539,228:POKE 1540,96
950 FOR X=1 TO 500:NEXT X
1000 GRAPHICS 0:SETCOLOR 2,7,1:SETCOLO
R 4,2,1:POSITION 15,2:? "MAIN MENU"
1100 POSITION 11,6:? "II-INIT NEW DISK.
1200 POSITION 11,8:? "T-WRITE QUESTION
5."
1210 POSITION 11,10:? "⊞-EXIT PROGRAM.
1300 POKE 752,1:POSITION 16,13:? "I/W
?";:GET #2,R
1350 IF R=88 THEN POKE 752,1:? "K":END
1400 IF R=73 OR R=105 THEN 1700
1500 GOTO 2000
1600 ? :? :? "ERROR MANN": FOR I=1 TO 1
700:NEXT I:GOTO 100
1700 TRAP 1600
1800 ? "□":? :? "PUT BLANK DISK IN DRI
VE #1 FOR": ? "FORMANDENE. HIT RETURN W
HEN READY."; :GET #2,R:IF R<>155 THEN 1
1900 XIO 254,#1,0,0,"D1:"
2000 ? "K":R=0:? "K":POSITION 15,2:? "
WRITE MENU"
2100 POSITION 11,6:? "E-START A NEW DI
5K."
2200 POSITION 11,8:? "E- CONTINUE A DI
5K . "
2300 POSITION 11,10:? "II- TOGGLE SHOW
CURENT."
2350 POSITION 11,12:? " EDIT A QUEST
TON."
2380 POSITION 10,16:? "END-EXIT TO MAI
N MENU."
2400 POSITION 14,19:? "5/C/T/E ?";:GET
 #2,R
2500 IF R=27 THEN 1000
2550 IF R=84 THEN 7500
2560 IF R=69 THEN 8000
2600 IF R=83 OR R=115 THEM 2800
2789 GOTO 4289
2899 ? "..."
2900 TRAP 1500
3000 ? :? :? "INSERT ORIGINAL QUESTI
 DISK.":? "HIT RETURM."; :GET #2,R
3100 POKE 769,1:POKE 770,82:GOSUB 3200
:GOTO 3900
3200 SHM-0:R=0
3300 SUM-SUM+1
3400 POKE 779, INT (SUM/256): POKE 778, IN
```

T((SUM/256-INT(SUM/256))\*256)





#### PAGE 6

19899 TRAP 19500:POSITION 10,4:? "Char remaining = "; RE: GET #2, Q 10810 IF Q=27 THEN RETURN 19829 IF Q=126 THEN GOSUB 19919:Q=32:G 05UB 10950:GOTO 10800 10830 GOSUB 10960:GOSUB 10950:GOSUB 10 930:RETURN 10850 NO=0:POSITION 2,20:? "Is this co rrect (Y/N)":GET #2,R:IF R=89 OR R=121 THEN RETURN 10860 NO=1:RETURN 10900 LINE=STL:COL=2:RETURN 10910 W=W-1:RE=RE+1:IF W(0 THEN W=0 10915 IF RE>63 THEN RE=63 10916 COL=COL-1:IF COL<2 THEM COL=39:L INE=LINE-1:IF LINE<STL THEN GOTO 10900 10920 RETURN 10930 COL=COL+1:IF COL>39 THEN LINE=LI NE+1:COL=2 10940 RETURN 10950 POSITION COL, LINE: ? CHR\$(Q);:RET URN 10960 RE=RE-1:W=W+1:B\$(W)=CHR\$(Q):RETU 10970 B=LEN(B\$)+1:IF B>=64 THEN RETURN 10975 B\$(B)=NUL\$:RETURN 11000 REM SHOW CURRENT FIRST 11010 CM=82:G05UB 7020:? "K Current contents of sector "; SUM 11020 ? A\$:? "↓↓Hit any key to continu e":GET #2,R:RETURM 12000 REM MULTIPLE CHOICE QUESTIONS 12010 IF SHOWME THEN GOSUB 11000 12020 A\$=NUL\$:AB=0 12030 GOSUB 12500:GOSUB 10400:IF Q=27 THEN 2000 12040 AB=1:GOSUB 12500:GOSUB 10400:IF Q=27 THEN 2000 12050 GOSUB 7000 12060 SUM=SUM+1:GOTO 12000 12500 REM ASK MULTI QUESTION 12510 B\$=NUL\$:RE=63:W=0:STL=6 12520 ? "5 Multiple Choice Questio ns":G05UB 10450 12530 GOSUB 10900 12540 GOSUB 10800:IF Q=27 THEN RETURN 12580 IF Q=155 THEN 12600 12590 IF RE<3 THEN GOSUB 10430:GOTO 12 500 12595 GOTO 12540 12600 REM GET ANSWERS 12610 FOR A1=1 TO 4:5TL=8+(A1\*2):GOSUB 10900 12620 POSITION COL, LINE:? "Enter answe r "; A1; : STL=STL+1: GOSUB 10900 12625 GOSUB 10800:IF Q=27 THEN RETURN 12630 IF Q=155 THEN NEXT A1:GOTO 12700 12640 IF RE<1 THEN GOSUB 10430:GOTO 12 000 12650 GOTO 12625 12700 GOSUB 10850:IF NO THEN 12000 12710 GOSUB 10960:GOSUB 10970:RETURN

### Reprinted from CURRENT NOTES March 1986

The RUMOR MILL
by Joe Waters

The IBM emulator for the ST: will not have the 8087 chip included, but will have 520K, 8080 chip, disk drive port, 100% MS-DOS compatibility, and \$199 price. The prototype will be shown at the Hannover Fair in West Germany this month. I understand that the emulator does run LOTUS (and SYMPHONY). The "blitter" chip: not 500 times faster, only 100 times faster and the chip IS NOT a math co-processor. There have been some rumors that the new STs would include a socket for this new chip. Not so. To install it, you will have to remove the 68000, install a daughter board, and put the blitter chip and the 68000 on this board.

While on the subject of emulators ... what's the most popular computer (and software) in the elementary and secondary school systems? Apple II. Guess what computer company will be releasing an Apple II emulator in two months for a machine called the "ST". You got it!

ST LOGO replaces ATARI LOGO. Atari is shipping an expanded and revised version of LOGO with the new STs that is much faster and includes six new primitives (CALL, SOUND, FULLSCREEN, SYSFACTS, .WDEPOSIT, and .WEXAMINE).

Want a Laser Printer? As some of you know, laser printers are all the rage. Quick, excellent copy, but at a price. Cheapest available at the moment is just a hair under \$2,000. But, be patient. Look for an Atari laser printer this fall, equivalent to the Canon Laser, priced at \$1,200. Enhancements, which will come later, will give this printer a 400 dpi resolution and allow it to compete directly with the Apple Laserwriter.

Software News. The quantity and quality of ST software continues its steady climb. VIP has, indeed, shipped their VIP Professional, a Lotus 1-2-3 clone. The first disks on the street had a number of bugs in them and the memory constraint was quite severe. However, the arrival of the TOS ROM chips will take care of memory constraints and VIP has been fixing the bugs and releasing "patches" which now make this an excellent program.

Those of you waiting for a strong database program now have H&D Base (\$100) available. This dBASE II clone gives the ST a strong andversatile database management package. Within two hours of having opened the package, I had transferred dozens of files totaling several thousand records from dBASE III on an IBM to H&D Base on an ST. This product too has some early bugs, but they are being corrected and Mirage anticipates providing a continuing series of enhancements to the package.

Mirage will have to keep working on enhancements because Versasoft Corp will soon (April 1) be releasing their dBMAN database management product. This system is (90-95%) dBASE II and dBASE III compatible and has a whole host of functions built into the language. Retail price will be \$149 (with a 30-day money-back





#### PAGE 7

John Dvorak's column "INSIDE TRACK" this week discuss the next generation of machine from ATARI and the other guy. Both machines are build designed around Motorola's 68020 CPU chip. The other guy's machine (code named the Ranger) comes with 512K or more and a 1,024 by 780 pixel superhigh resolution display. Gentleman Jack will do a little better. ATARI is working on a system with 1,024 by 1,024 pixel display.

From the online press.....

ELECTRONIC ARTS PLANS TO RELEASE 8-BIT SOFTWARE

ANTIC PUBLISHING INC., COPYRIGHT 1986. REPRINTED BY PERMISSION.

Electronic Arts software company president Trip Hawkins has written the last letter he will ever need to send to Antic Magazine.

"The response of your readers to Antic editorials is growing," wrote Hawkins. "We have received quite a few letters." Quite a few indeed. In a letter-writing campaign initiated over nine months ago with a May, 1985 Antic editorial, not only Antic readers but the entire Atari community begged EA and other major software publishers to release more software for the 8-bit Atari computers.

EA promises to release Adventure Construction Set, Heart of Africa, Mail Order Monsters, Marble Madness, Racing Destruction Set, Skyfox, Software Golden Oldies (Software Country), and Ultima IV (Origin Systems) for the Atari XL/XE 8-bit line of computers in 1986.

"We hope to see at retail the kind of response we have seen in our mailbox!" Hawkins says in conclusion.

#### BRODERBUND STILL GROWING

The media broadly proclaimed that 1985 was a "dismal" year for the personal computer industry. Broderbund Software proved otherwise. Bolstered by several top selling home productivity and educational packages, spearheaded by the phenomenonal bestseller, Print Shop, Broderbund doubled their sales to \$20 million during 1985.

The December issue of Inc. magazine ranked Broderbund as the 13th fastest-growing privately held company in the United States. Microcomputer software distributors First Software and Softsel International also experienced rapid growth during 1985.

#### ATARI VS. THE WORLD

Atari Corp. has been sued again. This time for \$55.2 million by an (unnamed) Japanese printer maker that claims Atari reneged on a contract to buy 500,000 printers.

#### RUMOR HUMOR

This satirical product announcement by Albert Lew of ABACUS, was found recently in the San Francisco-area users group's newsletter:

"Did you hear about the new \$10 EPROM burner coming from Atari? Stick some 128K EPROMS in the blue plastic slots, and pop into the toaster oven. The docs recommend that you think hard about what you want burned, (Commodore, Apple, and IBM are suggested topics) and pray. If you are agnostic, you are requested to send more money to Atari until you get reasonable results."





#### PAGE 8

# Empty Communications Or What is a null modem? By David Frazer

Last Saturday I overheard someone ask what a "null modem" was. And how can it be used to have my 800 talk to my ST?

I've heard this question several other times and unfortunately the term "null modem" is not defined in any of the manuals on communications. Actually, null modem is a fancy name for the cable used to connect two pieces of computer equipment together. That's the simplest part. Let's look at a semi-technical explanation.

In basic computer terms, we have two types of equipment: Data Terminal Equipment which consists of actual computers, terminals, printers and the like; and Data Communication Equipment, which is primarily modems.

In computerese, these are referred to as DTE and DCE. In the beginning of computer history, all computer equipment was hard wired together and none of this nonsense mattered. Then came the days of terminals and connections via the telephone system, which usually meant Ma

You old-time communicators might recall the days when the only supplier of modems was Ma Bell (for all practical purposes). A modem, or DCE, is used to send computer data over telephone lines; it's basically a computer telephone. Just as two voice telephones connect the mouthpieces of one telephone to the earpiece of the other via the phone system; two modems connect the data-send circuits of one piece of computer equipment to the data-receive circuits of the other.

The traditional data communications setup is illustrated in Figure 1. The real purpose of the DCEs (modems) and the phone system was to:

- Connect the two DTEs over long distance via the telephone system.
- Connect the send side of one side to

the receive of the other.

Figure 1.

This is the basic method still in use today, but now we can buy modems and telephone service from any suppliers.

#### Figure 2

There was one thing that wasn't so good about the traditional setup, though. Suppose you had two pieces of DTE in the same room? Under the traditional setup, in order to connect two DTEs, you needed the DCEs and the phone system because if you connect two DTEs directly, the send of the first DTE is connected to the send of the second.

send \_\_\_\_\_ send

DIE DTE

receive \_\_\_\_ receive

#### Figure 3

Let's expand the picture and show the correct data paths in Figure 2. In Figure 3, I've removed the modems (DCEs) and the telephone system. Note now that our connection doesn't work because we've connected the mouth piece of my phone (send) to the mouth piece of yours, instead of the ear piece!

That's it, the setup will not work with a "straight" cable. But if you build a special cable that crosses the send and receive signals as required by two DTEs, then you can eliminate the need for the DCE and the phone system. You need to build a cable which makes the connections described in Figure 4.




Figure 4





PAGE 9

Permission to reprint or excerpt is granted only if the following line appears at the top of the article:

ANTIC PUBLISHING INC., COPYRIGHT 1985.

REPRINTED BY PERMISSION.

Professional GEM by Tim Oren THE DIALOG HANDLER 11/7/85



#### A MEANINGFUL DIALOG

This issue of ST PRO GEM begins an exploration of ST GEM's dialog handler. I will discuss basic system calls for presenting the dialog, and then continue with techniques for initializing and reading on/off button and "radio" button objects. We will also take some short side-trips into the operation of the GEM Resource Construction Set to assist you in building these dialogs.

There are a number of short C routines which accompany this column. These are stored as file GEMCL3.XMO in DL 5 on SIG\*ATARI. Before reading this column, you should visit SIG\*ATARI (go pcs-132) and download this file.

#### DEFINING TERMS

A dialog box is an "interactive form" in which the user may enter text and indicate selections by pointing with the mouse. Dialogs in GEM are "modal", that is, when a dialog is activated other screen functions such as menus and window controls are suspended until the dialog is completed.

In most cases, the visual structure of a GEM dialog is specified within your application's resource file. The GEM Resource Construction Set (RCS) is used to

build a picture of the dialog.

When the RCS writes out a resource, it converts that picture into a tree of GEM drawing objects and stores this data structure within the resource. Before your application can display the dialog, it must load this resource file and find the address of the tree which defines the dialog.

To load a resource, the AES checks its size and allocates memory for the load. It then reads in the resource, adjusting internal pointers to reflect the load address. Finally, the object sizes stored in the resource are converted from characters to pixels using the system font size.

(A note for those with Macintosh experience: Although Mac and GEM resources share a name, there are fundamental

differences which can be misleading. A Mac resource is a fork within a file; a GEM resource is a TOS file by itself. Mac resources may be paged in and out of memory; GEM resources are monolithic. GEM resources are internally tree structured; Mac resources are not. Finally, Mac resources include font information, while ST GEM does this with font loading at the VDI level.)

The resource load is done with the GEM

AES call:

ok = rarc\_load(ADDR("MYAPP.RSC"));

"MYAPP" should be replaced with the name of your program. Resources conventionally have the same primary name as their application, with the RSC extent name instead of PRG. The ok flag returned by rsrc\_load will be FALSE is anything went wrong during the load.

The most common causes of failure are the resource not being in the application's subdirectory, or lack of sufficient memory for GEM to allocate space for the resource. If this happens, you must terminate the program immediately.

Once you have loaded the resource, you find the address of a dialog's object tree with:

rsrc\_gaddr(R\_TREE, MYDIALOG, &tree);
Tree is a 32-bit variable which will receive
the address of the root node of the tree.

The mnemonic MYDIALOG should be replaced with the name you gave your dialog when defining it in the RCS. At the same time that it writes the resource, RCS generates a corresponding .H file containing tree and object names. In order to use these mnemonics within your program, you must include the name file in your compile: #include "MYAPP.H"

#### BUG ALERT!

When using the DRI/Alcyon C compiler, .H files must be in the compiler's home directory or they will not be found. This is especially annoying using a two floppy drive ST development system. The only way around this is to explicitly reference an alternate disk in the #include, for instance: "B:MYAPP.H"

Now that the address of the dialog tree has been found, you are ready to display it. The standard (and minimal) sequence for doing so is given in routine hndl\_dial() in the download. We will now walk through each step in this procedure.





PAGE 10

The form\_center call establishes the location of the dialog on the screen. Dialog trees generated by the RCS have an undefined

origin (upper-left corner).

Form center computes the upper-left location necessary to center the dialog on the screen, and inserts it into the OB X and OB Y fields of the ROOT object of the tree. It also computes the screen rectangle which the dialog will occupy on screen and writes its pixel coordinates into variables xdial, ydial, wdial, and hdial.

There is one peculiarity of form\_center which occasionally causes trouble. Normally the rectangle returned in xdial, etc., is exactly the same size as the basic dialog

box.

However, when the OUTLINED enhancement has been specified for the box, form\_center adds a three pixel margin to the rectangle returned. This causes the screen area under the outline to be correctly redrawn later (see below). Note that OUTLINED is part of the standard dialog box in the RCS. Other enhancements, such as SHADOWED or "outside" borders are NOT handled in this fashion, and you must compensate for them in your code.

The next part of the sequence is a form dial call with a zero parameter. This reserves the screen for the dialog action about to occur. Note that the C binding given for form dial in the DRI documents is in error: there are nine parameters, not five. The first set of xywh arguments is actually used with form dial calls 1 and 2 only, but place holders must be supplied in all cases.

The succeeding form\_dial call (parameter one) animates a "zoom box" on the screen which moves and grows from the first screen rectangle given to the second rectangle, where the dialog will be displayed.

The use of this call is entirely optional. In choosing whether to use it or not, you should consider whether the origin of the "zoom" is relevant to the operation. For instance, a zoom from the menu bar is relatively meaningless, while a zoom from an object about to be edited in the dialog provides visual feedback to the user, showing whether the correct object was chosen.

If the origin is not relevant, then the zoom is just a time-waster. If you decide to include these effects, consider a "preferences" option in your app which will

allow the experienced and jaded user to turn them off in the interests of speed.

The objc\_draw call actually displays the dialog on the screen. Note that the address off the tree, the beginning drawing object, and the drawing depth are passed as arguments, as well as the rectangle allotted for the dialog.

In general, dialogs (and parts of dialogs) are ALWAYS drawn beginning at the ROOT (object zero). When you want to draw only a portion of the dialog, adjust the clipping rectangle, but not the object number. This ensures that the background of the dialog is always drawn correctly.

The objc\_xywh() utility in the download can be used to find the clipping rectangle for any object within a dialog, though you may have to allow an extra margin is you have used shadows, outlines, or outside borders

with the object.

Calling form do transfers control to the AES, which animates the dialog for user interaction. The address of the dialog tree is passed as a parameter. The second parameter is the number of the editable object at which the text cursor will first be positioned. If you have no text fields, pass a zero. Note that again the DRI documents are in error: passing a -1 default may crash the system. Also be careful that the default which you specify is actually a text field; no error checking is performed.

The form do call returns the number of the object on which the clicked to terminate Usually this is a button type the dialog. SELECTABLE EXIT with the and object set. Setting the attributes attribute as well will cause an exit on that object is a carriage return is struck while

in the dialog.

If the top bit of the return is set, it indicates that the exit object had the TOUCHEXIT attribute and was selected with a double-click. Since very few dialogs use this combination, the sample code simply masks off the top bit.

The next form\_dial call reverses the "zoom box", moving it from the dialog's location back to the given x,y,w,h. The sa-

cautions apply here as above.

The final form dial call tells GEM that the dialog is complete, and that the screen area occupied by the dialog is now considered "dirty" and needs to be redrawn. Using the





PAGE 11

methods described in our last column, GEM then sends redraws to all windows which were overlaid, and does any necessary redrawing of the menu or desktop itself.

one notable "feature" of There is form dial(3): It always redraws an area which is two pixels wider and higher than your request! This was probably included to make sure that drop-shadows were cleaned up, and is usually innocuous.

#### A HANDY TRICK

Use of the form dial(3) call is not limited to dialogs. You can use it to force the system to redraw any part of the screen. The advantage of this method is that the redraw area need not lie entirely within a window, as was necessary with the send redraw detailed in the last column. disadvantage is that this method is somewhat slower, since the AES has to decide who gets the redraws.

#### CLEAN UP

As a last step, you need to clear the SELECTED flag in the object which was If you do not do this, the object will be drawn inverted the next time you call the dialog. You could clear the flag with GEM objc\_change call, but it is inefficient since you do not need to redraw the object.

Instead, use the desel obj() code in the download, which modifies the object's OB STATE field directly. Assuming that ret obj contains the exit object returned by hndl dial, the call:

desel\_obj(tree, ret obj);

will do the trick.

#### RECAP

The basic dialog handling method I have contains three steps: (rsrc\_gaddr), initialization dialog presentation (hndl dial), and cleanup (desel obj).

As we build more advanced dialogs, these same basic steps will be performed, but they will grow more complex. The initialization will include setting up proper object text and states, and the cleanup phase will also interrogate the final states of objects to find out what the user did.

#### BUTTON, BUTTON

The simple dialogs described above contain only exit buttons as active objects. As such, they are little more than glorified alert boxes.

We will now increase the complexity a little by considering non-exit buttons. constructed by setting the These are SELECTABLE attribute on a button object. At run-time, such an object will toggle its between selected (highlighted) and non-selected whenever the user clicks on it. (You can set the SELECTABLE attribute of other types of objects and use them instead of actual buttons, but be sure that the user will be able to figure out what you intend!)

Having non-exit buttons forces us to consider the problem of initializing them before the dialog, and interrogating and resetting them afterward.

Since a button is a toggle, it is usually associated with a flag variable in the program. As part of the initialization, you should test the flag variable, and if true call:

sel\_obj(tree, BTNOBJ); which will cause the button to appear highlighted when the dialog is first drawn. Sel\_obj() is in the download. BTNOBJ is replaced with the name you gave your button when you defined it in the RCS. Since the button starts out deselected, you don't have to do anything if your flag variable is false.

After the dialog has completed, you need to check the object's state. The selectp() utility does so by masking the OB STATE You can simply assign the result of field. this test to your flag variable, but be sure that the dialog was exited with an OK button, not with a CANCEL! Again, remember to clean up the button with desel obj(). (It's often easiest to deselect all buttons just before you leave the dialog routine, regardless of the final dialog state.)

#### WHO'S GOT THE BUTTON?

Another common use of buttons in a dialog is to select one of a set of possible options. In GEM, such objects are called radio buttons. This term recalls automobile radio tuners where pushing in one button pops out any others. In like fashion, selecting one of a set of radio buttons automatically deselects all of the others.

To use the radio button feature, you must do some careful work with the Resource Construction Set.

First, each member of a set of radio buttons must be children of the same parent





PAGE 12

object within the object tree. To create this structure, put a hollow box type object in the dialog, make it big enough to hold all of the buttons, and then put the buttons into the box one at a time.

By nesting the buttons within the box object, you force them to be its children. Each of the buttons must have both the SELECTABLE and RADIO BUTTON attributes set. When you are done, you may make the containing box invisible by setting its border to zero, but do not FLATTEN it!

Since each radio button represents a different option, you must usually assign a name to each object. When initializing the dialog, you must check which option is currently set, and turn on the corresponding button only. A chain of if-then-else structures assures that only one button will be selected.

At the conclusion of the dialog, you must check each button with selectp() and make the appropriate adjustments to internal variables. Again, an if-then-else chain is appropriate since only one button may be selected. Either deselect the chosen button within this chain or do them all at the end.

In order for this technique to work, you must use a special capability of the RCS. Insert the object corresponding to a zero value at the top (or left) of your array of buttons, then put the "one" button below (or right) of it, and so on.

When the buttons are complete, the SORT

operation is used to guarantee that the form\_dial(2, x, form\_dial(3, x, return (exitob))

the parent box with the others following in order. Due to the details of object tree 

structure (to be discussed in the next void column), this will guarantee that thesebjc\_xywh(tree, obj, p)

LONG tree; objects are contiguous in the resource.

If you assign a name (say BUTTON1) to the first button, then you can initialize the correct button with the call:

sel\_obj(tree, BUTTON1 + field);

scan the radio buttons to compute the new value for the underlying variable. The encode() procedure in the download will do this. As always, remember to deselect the buttons at the end. You can use offsets or multipliers if your variable's values don't start with zero or increment by one. If the values are irregular you may be able to use a lookup table, at the cost of additional code.

#### COMING UP NEXT

In the next column, I will discuss the internal structure of object trees. Then we'll use that knowledge to build a piece of code which will "walk" an entire tree and apply a function to each object. We'll apply this code to do all of the button deselects with a single call! I'll also look at handling editable text fields and discuss some ways to alter a dialog's appearance at run-time.

#### DISPELL GREMLINS

An editing error caused an omission in the first installment of ST PRO GEM. The window components RTARROW and DNARROW should have been listed along with HSLIDE as the horizontal equivalents of the vertical slider components which were discussed.

```
hndl_dial(tree, def, x, y, w, h)

LONG tree;
WORD def;
WORD x, y, w, h;

(
WORD xdial, ydial, wdial, hdial, exitob);

form_center(tree, &xdial, &ydial, &wdial, &hdial);
form_dial(0, x, y, w, h, xdial, ydial, wdial, hdial);
form_dial(1, x, y, w, h, xdial, ydial, wdial, hdial);
objc_draw(tree, ROOT, MAX_DEPTH, xdial, ydial, wdial, hdial)
exitobj = form_do(tree, def) & 0x7FFF;
form_dial(2, x, y, w, h, xdial, ydial, wdial, hdial);
form_dial(3, x, y, w, h, xdial, ydial, wdial, hdial);
return (exitobj);

h
```






#### PAGE 13

The new cable is often called a "twisted cable" or null modem, meaning empty modem. The cross-connection function of the phone system and modems can be performed by such a cable in those situations where the distance does not require the intervention of the telephone system.

Back to our example (connecting an 800 to the ST). The 800 (via an 850 interface or like device) are both DTEs, and they use the serial port for their data communication connectors. Simplistically, the pins numbered 2 and 3 are the data send and data receive connections.

That's the story in simple terms. Unfortunately, it really gets a bit more complicated in actual use. The RS-232 standard defines signals for all 25 pins

on a 25-pin connector. It's how different builders of DTE equipment use the 23 connections besides data send and date receive that can make the construction of a null modem a bit complicated. Below is the configuration for building a "null modem" cable to connect a 800 directly to an ST.



### ZOOMRACKS by Quickview Systems reviewed by R Duvall

So what is it? The promo that accompanied this package says its:

- a project organizer,
- a data base,
- a card file,
- a word processor.

It does contain most of the required features of the above but I would classify Zoomracks as a filing system. The name comes from the metaphor of a rack system of timecards and the zoom feature of a movie camera. You can view the top line of card in a rack (20 at a time) or 20 lines of an individual card. Through the facility called smart zooms, you can view multiple racks at one time ( 9 max ). This is accomplished through removing the vowels and as many constants as necessary to fit the screen.

Each card (quickcard) in the file (zoom rack) contains fields (fieldscrolls). Each field is free format and can be up to 250 lines of 80 characters in length. You can sort racks on any field in the card. You can merge racks to create form letters. You can reformat racks to create mailing labels or other special purpose reports. You can add or delete or modify or change location of any field in a card. You can create to reduce repetitive command macros sequences. You can print out cards or racks. You can cut and paste cards from different or the same rack. There are a number of features that aid you in navigating in and between both fields and racks. And there are help dialogs to assist you if you should get lost.

The program looks as if it were written in Forth (if that really matters) and has many nice features. There is a version for the IBM PC, as well as, for the Atari 520ST. The program does not use any GEM functions except for the mouse interface. All windows, dialogs etc. are accomplished through text screen manipulation. Although this application seems to be an excellent design fit for GEM it ignores all the built in routines.

Zoomracks is designed to contain few limitations but in doing so eliminates a few of the niceties found in other database systems. Such as, Data validation routines, because all fields are free format anythi is valid. Just because you label a field DATE doesn't limit it contents. The data may contain the Gettysburg Address. Also the data entry facility is not very appealing, mostly due to the free format capability. There is no facility to compute or mathematically manipulate fields. There are no print formatting functions in this version. And there is no documentation on converting or porting data from other data bases (if it is possible).

I am puzzled as to whether this is a so-so or a good or a great product. I have not encountered any major software problems. Still, I have not found a good personal application for the product. It is different and in being so I wonder if that is why I'm not ecstatic about it. Zoomracks certainly contains some powerful features but I may be to (un)sophisticated for it? I am also disturbed thatitignored the capabilities of GEM and duplicated them at a cost of memory and speed. This could well be the general purpose filler of the future but... I will attempt to demo Zoomracks at a future ST SIG meeting and maybe you can help me decide. There is a contest for the best Zoomracks application: 1st prize is an Atari hard disk, 2nd a color monitor or \$200 3rd prize \$100. Entries must be postmarked by June 30, 1986. Call me for details. -Roy \*\*\*\*\*\*\*\*\*\*\*\*

ALERT - ALERT - ALERT - ALERT

This message comes from the TORONTO ATARI FEDERATION.

In the March issue of Phoenix, a fix for the TOS ROM noise was given. This fix came from a local store and, as it turns out, is wrong. In fact the "fix" could damage the machine.

Please do not proceed to install the ST "fix" as outlined in the March issue of **PHOFNIX.** 

#### MILWAUKEE AREA ATARI USER'S GROUP AND NEWSLETTER INFORMATION

President	David Frazer	542-7242	
Vice President	Carl Mielcarek	355-3539	
Secretary	Currently open		
Treasurer	Steve Tupper	462-8178	
MILATARI VOLUNTEERS			
MILATARI West	Dennis Bogie	968-2361	
Education SIG	Joe Sanders	447-1660	
ATR8000 & CP/M	Joe Griesemer	673-6663	
Database	Ron Friedel	354-1717	
BBS Sysop	Richard Dankert	781-2338	
Membership	Dave Bogie	968-2361	
Newsletter	Roy Duvall	363-8231	
Libraries			
Cassette &			

MILATARI OFFICERS

Milatari BBS 300 Baud 24hrs. 414-781-5710

Lee Musial

Bill Feest

Dennis Wilson Bill Lawrence

Copyright

Publications

Disk

466-9160

476-7767

968-3082

321-4314

#### NEWSLETTER INFORMATION

This newsletter is written and printed by members of the Milwaukee Area ATARI User's Group [MILATARI]. Opinions expressed in this publication are those of the individual authors and do not necessarily represent or reflect the opinions of the Milwaukee Area Atari User's Group, its officers, its members or its advertisers except where noted. Articles reprinted from bulletin boards and other newsletters are presented as an information exchange, no warranty is made to their accuracy or factuality.

Your contributions of articles are always welcome. You may submit your article on ATARI compatible cassette or diskette, on typewritten form or you can arrange with the editor to upload your file via modem. You can send Graphics eight or seven plus screens stored on disk in Micropainter or Micro Illustrator formats.

#### Milwaukee Area Atari User's Group

MILATARI is an independent, user education group which is not affiliated with ATARI INC. The newsletter is the official publication of MILATARI and is intended for the education of its members as well as for the dissemination of information concerning ATARI computer products.

MILATARI membership is open to individuals and families who are interested in using and programming ATARI computers. The membership includes a subscription to this newsletter and access to the club libraries. The annual membership fee is \$15 for individuals or \$20 for a family.

Vendors wishing to display and/or sell items at MILATARI meetings must make prior arrangements with the club vice president. Rates are \$10 per meeting or \$90 per year payable in advance.

All material in this newsletter not bearing a COPYRIGHT message may be reprinted in any form, provided that MILATARI and the author are given credit.

Other computer user groups may obtain copies of this newsletter on an exchange basis.

#### MILATARI ADVERTISING RATES

This newsletter will accept camera ready advertising copy from anyone supplying goods and services of interest to our membership.

Current paid members of MILATARI may place classified ads in the newsletter at no charge.

	Advertising Hat	88
Full page		\$37.50
Half page		\$20.00
Quarter page		\$12.50
Business car	d	\$2.00

# MILATARE BB5 414-781-5710 24 Hours



U.S. POSTAGE PAID

BULK RATE

PERMIT NO. 201

WAUKESHA, WI 53187

MILWAUKEE AREA ATARI USERS GROUP
Post Office Box 19858
West Allis, Wisconsin 53219-0858
Address Correction Requested
Forwarding Postage Guaranteed

### 69 CENT DISKS ARE HERE!

High Quality, 5-1/4", Single Sided (punched for two sided use), Double Density, complete with hub rings, write protect labels and Tyvek sleeves.

10 Disks . . . \$6.90 50 Disks . . . \$34.50 100 Disks . . . \$69.00

Disks sold only in muitiples of 10

Prices and availability are subject to change without notice

COMPUTER SOFTWARE CENTER 9805 W. Oklahoma Ave., Milwaukee

(Two blocks East of Interetate 594)

Tues.-Fri. 12-8, Sat. 12-5





(414) 543-5123

THERE'S MORE IN STORE FOR YOU AT 98TH & OKLAHOMA